

P-Screen®



Vectair Model:	VECTAIR P-SCREEN®			
Description:	EVA URINAL SCREEN			
Product Category:	WASHROOM			
Product Variant:	Colour	Stock Code	Barcode X6	MOQ
Citrus Mango	Yellow	P-SCREEN CITRUS	5060060078215	
Marine Musk	Dark Blue	P-SCREEN MARINE	5060060078239	
Lavender & Geranium	Lilac	P-SCREEN LAVENDR	5060060078253	YES
Kiwi & Grapefruit	Coral	P-SCREEN KIWI	5060060078222	YES
Linen Breeze	Light Blue	P-SCREEN LINEN	5060060078246	
Clove & Cardamom	Dark Green	P-SCREEN CLOVE	5060060078260	YES
Ice Cool	Clear/Dark Blue	P-SCREEN ICE	5060060078277	

Product Description:	P-Screen® urinal screens are a 60-day fragrance solution for most urinal shapes and sizes. P-Screen® is an effective solution that reduces bad smells for up to 60 days with a deep bubble and bristle design that prevents splash back and drain blockages. The World's first triple action screen, offering both dual fragrance and enzyme protection. The active central core in the urinal screen is not only designed to reduce bacteria, but also provides a secondary fragrance in the screen. This combats fragrance fatigue, which is a common experience of losing sensitivity to smells from over exposure. Its large surface area means it can also provide extra fragrance delivery. The P-Screen® urinal screens incorporate an active central core within the screen, containing naturally occurring bacteria which produce enzymes to degrade organic matter, eliminating bad smells. This also reduces organic scale build-up by ensuring that uric salt is made more soluble, broken down and therefore made easier to flush away.
Features and Benefits:	■ High quality and strong fragrance for up to 60 days. ■ Deep bubble design for optimum splash back protection. ■ Flexible EVA lattice core to sit comfortably in any urinal. ■ Large grip pad. ■ Bright and vibrant shades to encourage use. ■ Unique bubble design to allow water drainage. ■ Helps prevent blockages in urinals and uric salt build up in pipes. ■ VOC exempt*.

Product Specification Sheet

Date Published:	16 th Apr 2021
Version Number:	6
Document Number:	PSS-0005

Critical Dimensions – Product: (H x W x D)	mm	Ø 194 x 41	inches	Ø 7.6 x 1.6
X1 Product Net Weight (Product only)	kg	0.163	lb	0.36
X1 Product Gross Weight (Product and packaging)	kg	0.174	lb	0.38
Packaging Specification(s):	1, 6 or 24			
X 6 Carton dimensions: (L x W x H)	mm	205 x 215 x 255	inches	8.1 x 8.5 x 10
Gross Weight (x 6):	kg	1.43	lb	3.2
X 24 Carton Dimensions: (L x W x H)	mm	410 x 430 x 255	inches	16.1 x 16.9 x 10
Gross Weight (x 24):	kg	5.72	lb	12.6
Minimum Order Quantity:	Case of 6 units.			
Palette Quantity:	Road & Sea = 192 Cases (1152 units)			
Shelf Life:	24 months			
Fragrance Longevity:	≤ 60 days			
Operating Conditions:	Recommended Operating Temperature: 15°C to 35°C (59°F to 95°F).			
Storage Conditions:	- Recommended Storage Temperature: 5°C to 45°C (41°F to 113°F). - Cool, dry and well-ventilated area.			
Environmental Considerations:	Vectair Systems actively encourage the end user to recycle the product where possible.			
Waste Disposal:	- Product: The Product can be recycled with plastic waste. - Dispose of product in accordance with local/regional/national/international regulations. - Packaging: place in general waste – suitable for landfill. - Outer Carton: Suitable for cardboard recycling.			
Country of Manufacture:	Thailand			
Commodity Code:	33079000			

Materials Specification		Material	Weight (per X6 case)	% Recycled material	Can be recycled?†	Code
Product:	Screen	EVA	-	-	✓	#7 (EVA)
	Block	Biological compound	-	-	✗	-
	Block Holder	PET	-	-	✓	#1 (PET)
Packaging:	Bristle Protector	PET	0.024 kg	-	✓	#1 (PET)
	Bag	PET/PP composite	0.024 kg	-	✗	-
	Labels	Paper	0.006 kg	-	✓	#22 (PAP)
	Carton	Corrugated fibreboard	0.386 kg	70	✓	#20 (PAP)

Notes: The Product Specification Sheet is true to the best of Vectair Systems knowledge at the time of publishing and we reserve the right to make changes without notification.

EMEA Head Office: Vectair Systems Ltd | Unit 3, Trident Centre | Armstrong Road | Basingstoke | Hampshire | RG24 8NU | UK
General Enquiries: emea.info@vectairsystems.com | Tel: +44 (0) 1256 319 500 | Fax: +44 (0) 1256 319510

North American Headquarters: Vectair Systems Inc. | 2095 Spicer Cove | Covington Way Dist. Centre | Memphis | TN 38134 | USA
General Enquiries: info@vectairsystems.com | Tel: +1 901 373 7818 | Toll Free: 877 697 7276

Product Specification Sheet	
Date Published:	16 th Apr 2021
Version Number:	6
Document Number:	PSS-0005

* There are currently no restrictions on VOC content in Europe and what chemicals etc. would be classified as VOC exempt.

† Dependant on your local/regional/national/international recycling schemes.